# **Voluntary Product Accessibility Template**

Version 1.2

The purpose of the Voluntary Product Accessibility Template, or VPAT, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offerers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, "e.g., equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations remarks and explanations regarding the product.

Date: 2/18/14 Name of Product: *Manager Advantage* 

Contact for more Information: Deb McKinnon 1-800-515-4577, ext. 6511

| Summary Table<br>Voluntary Product Accessibility Template                 |   |  |
|---|---|--|
|   |   |  |
| Section 1194.21 <u>Software Applications</u><br>and Operating Systems     | Not Applicable                                |  |
| Section 1194.22 <u>Web-based Internet</u><br>Information and Applications | Supported. Please refer to the following VPAT |  |
| Section 1194.23 <u>Telecommunications</u><br><u>Products</u>              | Not Applicable                                |  |
| Section 1194.24 <u>Video and Multi-media</u><br>Products                  | Not Applicable                                |  |

| Section 1194.25 <u>Self-Contained, Closed</u> | Not applicable             |
|---|----------------------------|
| Products                                      |                            |
| Section 1194.26 Desktop and Portable          | Not applicable             |
| <u>Computers</u>                              | Not applicable             |
| Section 1194.31 Functional                    | Supported. Please refer to |
| Performance Criteria                          | the following VPAT.        |
| Section 1194.41 Information,                  | Supported. Please refer to |
| Documentation and Support                     | the following VPAT         |

# Section 1194.21 Software Applications and Operating<br/>Systems – Detail<br/>Voluntary Product Accessibility TemplateCriteriaSupporting FeaturesRemarks and<br/>explanations(a) When software is designed to run on<br/>a system that has a keyboard, product<br/>functions shall be executable from aSupporting Features

| (a) When software is designed to run on<br>a system that has a keyboard, product<br>functions shall be executable from a<br>keyboard where the function itself or<br>the result of performing a function can<br>be discerned textually.  | Not applicable |  |
|--|----------------|--|
| (b) Applications shall not disrupt or<br>disable activated features of other<br>products that are identified as<br>accessibility features, where those<br>features are developed and documented<br>according to industry standards.<br>Applications also shall not disrupt or<br>disable activated features of any<br>operating system that are identified as<br>accessibility features where the<br>application programming interface for<br>those accessibility features has been<br>documented by the manufacturer of the<br>operating system and is available to the<br>product developer. | Not applicable |  |
| (c) A well-defined on-screen indication<br>of the current focus shall be provided<br>that moves among interactive interface<br>elements as the input focus changes.<br>The focus shall be programmatically<br>exposed so that Assistive Technology<br>can track focus and focus changes.   | Not applicable |  |

| (d) Sufficient information about a user<br>interface element including the identity,<br>operation and state of the element shall<br>be available to Assistive Technology.<br>When an image represents a program<br>element, the information conveyed by<br>the image must also be available in text. | Not applicable |
|--|----------------|
| (e) When bitmap images are used to<br>identify controls, status indicators, or<br>other programmatic elements, the<br>meaning assigned to those images shall<br>be consistent throughout an<br>application's performance.  | Not applicable |
| (f) Textual information shall be<br>provided through operating system<br>functions for displaying text. The<br>minimum information that shall be<br>made available is text content, text<br>input caret location, and text attributes.   | Not applicable |
| (g) Applications shall not override user selected contrast and color selections and other individual display attributes.   | Not applicable |
| (h) When animation is displayed, the<br>information shall be displayable in at<br>least one non-animated presentation<br>mode at the option of the user.   | Not applicable |
| (i) Color coding shall not be used as the<br>only means of conveying information,<br>indicating an action, prompting a<br>response, or distinguishing a visual<br>element.   | Not applicable |
| (j) When a product permits a user to<br>adjust color and contrast settings, a<br>variety of color selections capable of<br>producing a range of contrast levels<br>shall be provided.  | Not applicable |
| (k) Software shall not use flashing or<br>blinking text, objects, or other elements<br>having a flash or blink frequency<br>greater than 2 Hz and lower than 55 Hz.  | Not applicable |
| (1) When electronic forms are used, the<br>form shall allow people using Assistive<br>Technology to access the information,<br>field elements, and functionality<br>required for completion and submission<br>of the form, including all directions and  |                |

cues.

Return to the top of the page.

## Section 1194.22 Web-based Internet information and applications – Detail Voluntary Product Accessibility Template

| voluntary Froduct  | Accessionity remplate           |   |
|--|---------------------------------|---|
| Criteria   | Supporting Features             | Remarks and explanations  |
| (a) A text equivalent for every non-text<br>element shall be provided (e.g., via<br>"alt", "longdesc", or in element<br>content).  | Supported                       |   |
| (b) Equivalent alternatives for any<br>multimedia presentation shall be<br>synchronized with the presentation.   | Supported                       |   |
| (c) Web pages shall be designed so that<br>all information conveyed with color is<br>also available without color, for<br>example from context or markup.                | Supported                       |   |
| (d) Documents shall be organized so<br>they are readable without requiring an<br>associated style sheet.   | Supported                       |   |
| (e) Redundant text links shall be<br>provided for each active region of a<br>server-side image map.  | Not applicable                  | Manager<br>Advantage does<br>not use server side<br>image maps.   |
| (f) Client-side image maps shall be<br>provided instead of server-side image<br>maps except where the regions cannot<br>be defined with an available geometric<br>shape. | Supported                       |   |
| (g) Row and column headers shall be identified for data tables.  | Supported with minor exceptions | The Manager<br>Advantage<br>database contains<br>html data obtained<br>from government<br>agencies and other<br>outside sources.<br>These materials<br>are provided "as<br>is". |
| (h) Markup shall be used to associate data cells and header cells for data   | Supported with minor            | The Manager   |
| uata cells and neader cells for data   | exceptions                      | Advantage   |

| tables that have two or more logical levels of row or column headers.  |                | database contains<br>html data obtained<br>from government<br>agencies and other<br>outside sources.<br>These materials<br>are provided "as<br>is". |
|--|----------------|---|
| (i) Frames shall be titled with text that<br>facilitates frame identification and<br>navigation  | Not applicable | Manager<br>Advantage does<br>not use frames.  |
| (j) Pages shall be designed to avoid<br>causing the screen to flicker with a<br>frequency greater than 2 Hz and lower<br>than 55 Hz.   | Supported      |   |
| (k) A text-only page, with equivalent<br>information or functionality, shall be<br>provided to make a web site comply<br>with the provisions of this part, when<br>compliance cannot be accomplished in<br>any other way. The content of the text-<br>only page shall be updated whenever<br>the primary page changes. | Supported      |   |
| <ul> <li>(l) When pages utilize scripting<br/>languages to display content, or to<br/>create interface elements, the<br/>information provided by the script shall<br/>be identified with functional text that<br/>can be read by Assistive Technology.</li> </ul>  | Supported      |   |
| (m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).   | Supported      |   |
| (n) When electronic forms are designed<br>to be completed on-line, the form shall<br>allow people using Assistive<br>Technology to access the information,<br>field elements, and functionality<br>required for completion and submission<br>of the form, including all directions and<br>cues.                        | Supported      |   |
| (o) A method shall be provided that<br>permits users to skip repetitive<br>navigation links.   | Supported      |   |

| (p) When a timed response is required,<br>the user shall be alerted and given<br>sufficient time to indicate more time is<br>required. | Not applicable | No timed<br>responses are<br>required by<br>Manager<br>Advantage |
|--|----------------|--|
|--|----------------|--|

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Return to the top of the page.

| Section 1194.23 Teleco<br>I  | ommunications P<br>Detail | roducts –                |
|--|---------------------------|--------------------------|
| Voluntary Product  | Accessibility Ten         | -                        |
| Criteria   | Supporting Features       | Remarks and explanations |
| (a) Telecommunications products or<br>systems which provide a function<br>allowing voice communication and<br>which do not themselves provide a TTY<br>functionality shall provide a standard<br>non-acoustic connection point for<br>TTYs. Microphones shall be capable of<br>being turned on and off to allow the<br>user to intermix speech with TTY use. | Not applicable            |                          |
| (b) Telecommunications products<br>which include voice communication<br>functionality shall support all<br>commonly used cross-manufacturer<br>non-proprietary standard TTY signal<br>protocols.   | Not applicable            |                          |
| (c) Voice mail, auto-attendant, and<br>interactive voice response<br>telecommunications systems shall be<br>usable by TTY users with their TTYs.   | Not applicable            |                          |
| (d) Voice mail, messaging, auto-<br>attendant, and interactive voice<br>response telecommunications systems<br>that require a response from a user<br>within a time interval, shall give an alert<br>when the time interval is about to run  | Not applicable            |                          |

| out, and shall provide sufficient time for<br>the user to indicate more time is  |                |  |
|--|----------------|--|
| required.  |                |  |
| <ul> <li>(e) Where provided, caller identification<br/>and similar telecommunications<br/>functions shall also be available for<br/>users of TTYs, and for users who<br/>cannot see displays.</li> <li>(f) For transmitted voice signals,</li> </ul>   | Not applicable |  |
| telecommunications products shall<br>provide a gain adjustable up to a<br>minimum of 20 dB. For incremental<br>volume control, at least one<br>intermediate step of 12 dB of gain shall<br>be provided.  | Not applicable |  |
| (g) If the telecommunications product<br>allows a user to adjust the receive<br>volume, a function shall be provided to<br>automatically reset the volume to the<br>default level after every use.   | Not applicable |  |
| (h) Where a telecommunications<br>product delivers output by an audio<br>transducer which is normally held up to<br>the ear, a means for effective magnetic<br>wireless coupling to hearing<br>technologies shall be provided.   | Not applicable |  |
| (i) Interference to hearing technologies<br>(including hearing aids, cochlear<br>implants, and assistive listening<br>devices) shall be reduced to the lowest<br>possible level that allows a user of<br>hearing technologies to utilize the<br>telecommunications product.  | Not applicable |  |
| (j) Products that transmit or conduct<br>information or communication, shall<br>pass through cross-manufacturer, non-<br>proprietary, industry-standard codes,<br>translation protocols, formats or other<br>information necessary to provide the<br>information or communication in a<br>usable format. Technologies which use<br>encoding, signal compression, format<br>transformation, or similar techniques<br>shall not remove information needed for<br>access or shall restore it upon delivery. |                |  |
| (k)(1) Products which have   | Not applicable |  |

| mechanically operated controls or keys<br>shall comply with the following:<br>Controls and Keys shall be tactilely<br>discernible without activating the<br>controls or keys.   |                |  |
|---|----------------|--|
| (k)(2) Products which have<br>mechanically operated controls or keys<br>shall comply with the following:<br>Controls and Keys shall be operable<br>with one hand and shall not require<br>tight grasping, pinching, twisting of the<br>wrist. The force required to activate<br>controls and keys shall be 5 lbs. (22.2N)<br>maximum. | Not applicable |  |
| (k)(3) Products which have<br>mechanically operated controls or keys<br>shall comply with the following: If key<br>repeat is supported, the delay before<br>repeat shall be adjustable to at least 2<br>seconds. Key repeat rate shall be<br>adjustable to 2 seconds per character.   | Not applicable |  |
| (k)(4) Products which have<br>mechanically operated controls or keys<br>shall comply with the following: The<br>status of all locking or toggle controls<br>or keys shall be visually discernible,<br>and discernible either through touch or<br>sound.   | Not applicable |  |

# Section 1194.24 Video and Multi-media Products – Detail

| ■/                            |                     | <b>√</b>                        |
|-------------------------------|---------------------|---------------------------------|
| Criteria                      | Supporting Features | <b>Remarks and explanations</b> |
| a) All analog television      |                     |                                 |
| displays 13 inches and        |                     |                                 |
| larger, and computer          |                     |                                 |
| equipment that includes       | Not applicable      |                                 |
| analog television receiver or |                     |                                 |
| display circuitry, shall be   |                     |                                 |
| equipped with caption         |                     |                                 |
| decoder circuitry which       |                     |                                 |

| appropriately receives,<br>decodes, and displays closed<br>captions from broadcast,<br>cable, videotape, and DVD<br>signals. As soon as<br>practicable, but not later<br>than July 1, 2002,<br>widescreen digital television<br>(DTV) displays measuring<br>at least 7.8 inches vertically,<br>DTV sets with conventional<br>displays measuring at least<br>13 inches vertically, and<br>stand-alone DTV tuners,<br>whether or not they are<br>marketed with display<br>screens, and computer<br>equipment that includes<br>DTV receiver or display<br>circuitry, shall be equipped<br>with caption decoder<br>circuitry which<br>appropriately receives,<br>decodes, and displays closed<br>captions from broadcast,<br>cable, videotape, and DVD |                |   |
|--|----------------|---|
| signals.<br>(b) Television tuners,<br>including tuner cards for use<br>in computers, shall be<br>equipped with secondary<br>audio program playback<br>circuitry.   | Not applicable | _ |
| (c) All training and<br>informational video and<br>multimedia productions<br>which support the agency's<br>mission, regardless of<br>format, that contain speech<br>or other audio information<br>necessary for the<br>comprehension of the<br>content, shall be open or<br>closed captioned.  | Not applicable |   |
| (d) All training and informational video and   | Not applicable |   |

| multimedia productions<br>which support the agency's<br>mission, regardless of<br>format, that contain visual<br>information necessary for<br>the comprehension of the<br>content, shall be audio<br>described. |                |  |
|---|----------------|--|
| (e) Display or presentation<br>of alternate text presentation<br>or audio descriptions shall<br>be user-selectable unless<br>permanent.   | Not applicable |  |

| Section 1194.25 Self-Contained, Closed Products –<br>Detail  |                     |                          |
|--|---------------------|--------------------------|
|  | Product Accessibi   |                          |
| Criteria   | Supporting Features | Remarks and explanations |
| (a) Self contained products<br>shall be usable by people<br>with disabilities without<br>requiring an end-user to<br>attach Assistive Technology<br>to the product. Personal<br>headsets for private<br>listening are not Assistive<br>Technology. | Not applicable      |                          |
| (b) When a timed response<br>is required, the user shall be<br>alerted and given sufficient<br>time to indicate more time is<br>required.  | Not applicable      |                          |
| (c) Where a product utilizes<br>touchscreens or contact-<br>sensitive controls, an input<br>method shall be provided<br>that complies with §1194.23<br>(k) (1) through (4).  | Not applicable      |                          |
| (d) When biometric forms<br>of user identification or<br>control are used, an<br>alternative form of   | Not applicable      |                          |

| identification or activation,<br>which does not require the<br>user to possess particular<br>biological characteristics,<br>shall also be provided.  |                |  |
|--|----------------|--|
| (e) When products provide<br>auditory output, the audio<br>signal shall be provided at a<br>standard signal level<br>through an industry standard<br>connector that will allow for<br>private listening. The<br>product must provide the<br>ability to interrupt, pause,<br>and restart the audio at<br>anytime.   |                |  |
| (f) When products deliver<br>voice output in a public<br>area, incremental volume<br>control shall be provided<br>with output amplification up<br>to a level of at least 65 dB.<br>Where the ambient noise<br>level of the environment is<br>above 45 dB, a volume gain<br>of at least 20 dB above the<br>ambient level shall be user<br>selectable. A function shall<br>be provided to automatically<br>reset the volume to the<br>default level after every use.   | Not applicable |  |
| (g) Color coding shall not<br>be used as the only means of<br>conveying information,<br>indicating an action,<br>prompting a response, or<br>distinguishing a visual<br>element.   | Not applicable |  |
| <ul> <li>(h) When a product permits         <ul> <li>a user to adjust color and             contrast settings, a range of             color selections capable of             producing a variety of             contrast levels shall be             provided.</li> <li>(i) Duble and a difference of the second seco</li></ul></li></ul> | Not applicable |  |
| (i) Products shall be  | Not applicable |  |

| designed to avoid causing  |                |  |
|--|----------------|--|
| the screen to flicker with a   |                |  |
| frequency greater than 2 Hz  |                |  |
| and lower than 55 Hz.  |                |  |
| (j) (1) Products which are freestanding, non-portable,   |                |  |
| and intended to be used in   |                |  |
| one location and which have  |                |  |
| operable controls shall  |                |  |
| comply with the following:   |                |  |
| The position of any operable   |                |  |
| control shall be determined  |                |  |
| with respect to a vertical   |                |  |
| plane, which is 48 inches in   | Not applicable |  |
| length, centered on the  |                |  |
| operable control, and at the   |                |  |
| maximum protrusion of the  |                |  |
| product within the 48 inch   |                |  |
| length on products which are freestanding, non-  |                |  |
| portable, and intended to be   |                |  |
| 1 ,  |                |  |
|  |                |  |
| controls.  |                |  |
| (j)(2) Products which are  |                |  |
| freestanding, non-portable,  |                |  |
|  |                |  |
|  |                |  |
| 1  |                |  |
|  | Not applicable |  |
| <b>v</b> 1   |                |  |
|  |                |  |
| · ·  |                |  |
| maximum and 15 inches  |                |  |
| minimum above the floor.   |                |  |
| (j)(3) Products which are  |                |  |
| freestanding, non-portable,  |                |  |
|  |                |  |
|  |                |  |
| -  | Not applicable |  |
|  |                |  |
|  |                |  |
| not more than 24 inches  |                |  |
| behind the reference plane,  |                |  |
| used in one location and<br>which have operable<br>controls.<br>(j)(2) Products which are<br>freestanding, non-portable,<br>and intended to be used in<br>one location and which have<br>operable controls shall<br>comply with the following:<br>Where any operable control<br>is 10 inches or less behind<br>the reference plane, the<br>height shall be 54 inches<br>maximum and 15 inches<br>minimum above the floor.<br>(j)(3) Products which are<br>freestanding, non-portable,<br>and intended to be used in<br>one location and which have<br>operable controls shall<br>comply with the following:<br>Where any operable control<br>is more than 10 inches and<br>not more than 24 inches | Not applicable |  |

| the height shall be 46 inches<br>maximum and 15 inches<br>minimum above the floor.   |                |  |
|--|----------------|--|
| (j)(4) Products which are<br>freestanding, non-portable,<br>and intended to be used in<br>one location and which have<br>operable controls shall<br>comply with the following:<br>Operable controls shall not<br>be more than 24 inches<br>behind the reference plane. | Not applicable |  |

# Section 1194.26 Desktop and Portable Computers – Detail

| Criteria  | Supporting Features | Remarks and explanations |
|---|---------------------|--------------------------|
| (a) All mechanically<br>operated controls and keys<br>shall comply with §1194.23<br>(k) (1) through (4).  | Not applicable      |                          |
| <ul> <li>(b) If a product utilizes</li> <li>touchscreens or touch-</li> <li>operated controls, an input</li> <li>method shall be provided</li> <li>that complies with §1194.23</li> <li>(k) (1) through (4).</li> </ul>                                     | Not applicable      |                          |
| (c) When biometric forms of<br>user identification or control<br>are used, an alternative form<br>of identification or<br>activation, which does not<br>require the user to possess<br>particular biological<br>characteristics, shall also be<br>provided. |                     |                          |
| (d) Where provided, at least<br>one of each type of<br>expansion slots, ports and<br>connectors shall comply<br>with publicly available   | Not applicable      |                          |

industry standards

Return to the top of the page.

## Section 1194.31 Functional Performance Criteria – Detail

| voluntary r roduct Accessionity remplate   |                     |   |
|--|---------------------|---|
| Criteria   | Supporting Features | <b>Remarks and explanations</b>                                       |
| (a) At least one mode of<br>operation and information<br>retrieval that does not<br>require user vision shall be<br>provided, or support for<br>Assistive Technology used<br>by people who are blind or<br>visually impaired shall be<br>provided.   | Supported           |   |
| (b) At least one mode of<br>operation and information<br>retrieval that does not<br>require visual acuity greater<br>than 20/70 shall be provided<br>in audio and enlarged print<br>output working together or<br>independently, or support<br>for Assistive Technology<br>used by people who are<br>visually impaired shall be<br>provided. | Supported           |   |
| (c) At least one mode of<br>operation and information<br>retrieval that does not<br>require user hearing shall be<br>provided, or support for<br>Assistive Technology used<br>by people who are deaf or<br>hard of hearing shall be<br>provided  | Supported           | cyberFEDS contains no<br>audio materials                              |
| (d) Where audio<br>information is important for<br>the use of a product, at least<br>one mode of operation and<br>information retrieval shall  | Supported           | cyberFEDS does not require<br>user hearing for access to<br>materials |

| be provided in an enhanced<br>auditory fashion, or support<br>for assistive hearing devices<br>shall be provided.  |           |   |
|--|-----------|---|
| (e) At least one mode of<br>operation and information<br>retrieval that does not<br>require user speech shall be<br>provided, or support for<br>Assistive Technology used<br>by people with disabilities<br>shall be provided. | 11        | cyberFEDS does not require<br>speech recognition for access<br>to materials |
| (f) At least one mode of<br>operation and information<br>retrieval that does not<br>require fine motor control or<br>simultaneous actions and<br>that is operable with limited<br>reach and strength shall be<br>provided.     | Supported |   |

# Section 1194.41 Information, Documentation and Support – Detail

| , or and y i i our of i i or i prove   |                            |                                 |
|--|----------------------------|---------------------------------|
| Criteria   | <b>Supporting Features</b> | <b>Remarks and explanations</b> |
| (a) Product support<br>documentation provided to<br>end-users shall be made<br>available in alternate<br>formats upon request, at no<br>additional charge  | Supported                  |                                 |
| (b) End-users shall have<br>access to a description of<br>the accessibility and<br>compatibility features of<br>products in alternate formats<br>or alternate methods upon<br>request, at no additional<br>charge. | Supported                  |                                 |
| (c) Support services for products shall accommodate  | Supported                  |                                 |

| the communication needs of   |  |
|------------------------------|--|
| end-users with disabilities. |  |